



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/074,517	02/12/2002	Mark Templeton	ARTCP031	6733

25920 7590 04/21/2005

MARTINE PENILLA & GENCARELLA, LLP
710 LAKEWAY DRIVE
SUITE 200
SUNNYVALE, CA 94085

EXAMINER

BAKER, STEPHEN M

ART UNIT	PAPER NUMBER
----------	--------------

2133

DATE MAILED: 04/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/074,517

Applicant(s)

TEMPLETON ET AL.

Examiner

Stephen M. Baker

Art Unit

2133

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 December 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5, 8-12 and 14-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-5 and 8 is/are allowed.
- 6) ☒ Claim(s) 9-12 and 14-21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Objections

1. Claim 1 is objected to because of the following informalities: "power-on" apparently should be "power up", to agree with the terminology of the disclosure.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
3. Claims 9-12 and 14-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,230,290 to Heidel *et al* in view of U.S. Patent No. 5,764,878 to Kablanian *et al* (hereafter Kablanian).

Heidel discloses arrangements for performing "high stress" built-in self-testing (BIST) for a DRAM chip. The chip can also any other type of volatile or non-volatile memory, e.g. SRAM, SDRAM, EEPROM, etc. An "internal clock signal for use in accessing a memory array" is generated (col. 2, lines 32-51) by a clock generator unit (102), with either one of a row internal control signal (RINT) and a column internal control signal (CINT) serving as the "internal clock signal" in Heidel's memory. Heidel refers to these signals (RINT, CINT) as "control clocks" (col. 3, line 27) although they are more commonly referred to as "strokes". During BIST operation only, an internal control signal generating unit (4208) of BIST logic (4202) generates the DRAM internal

Art Unit: 2133

signals (RINT or CINT) instead, to provide a "stress clock signal" for "performing a built-in self-test of the memory array using a stress clock signal, wherein each pulse of the stress clock signal is of shorter duration than each pulse of the internal clock signal".

Heidel's internal control signal generating unit (4208) generates the "stress clock signal" responsive to a BIST system clock generator (4220). During the stress testing, instead of passing DRAM control clocks, the clock generator unit (CLKGEN 102) generates a clock input to the BIST system clock generator (4220) (col. 3, lines 36-38). Internal signal timings for the tests are stored in a Timing Table (4218), and when a test is passed, the timing parameter may be tightened to create a more severe timing condition (col. 6, lines 26-28), enabling the determination of design timing margins.

Heidel's testing is used to grade the chips into various performance ranks. As Heidel does not disclose any built-in self-repair capability for the memory array, Heidel does not show any means specific to "storing defective memory addresses" of defective memory cells detected by Heidel's memory array stress tests, nor any means specific to "redirecting memory access operations to ... redundant memory cells". Timing variations used during Heidel's BIST procedure cover a range of timings including those capable of triggering memory errors, a timing that is approximately equal to each pulse of the (normal) internal clock signal minus the margin is apparently generated.

Kablanian discloses a memory array with built-in self-repair (BISR) in addition to BIST. In a manner typical of BISR for a memory array, Kablanian provides means for "storing defective memory addresses detected by the built-in self-test in a memory block" and means for "redirecting memory access operations to ... redundant memory

cells” during normal operation. BISR provides Kablanian’s memory array chip with the well-known benefit of increasing the number of usable chips.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to enhance Heidel’s BIST memory chip with the typical BISR memory chip features shown by Kablanian, including a means for “storing defective memory addresses detected by the built-in self-test in a memory block” and a means for “redirecting memory access operations to ... redundant memory cells”. Such enhancement would have been obvious because BISR provides the well-known benefit of increasing the number of usable chips.

Regarding claim 17, Kablanian discloses a latch “register” for storing defective memory addresses (col. 6, line 48).

Regarding claims 9 and 18, Kablanian shows “redundant control logic that redirects memory access operations to the defective memory addresses to redundant memory cells” (Fig. 9).

Regarding claims 10, 11, 19 and 20, Heidel’s normal “internal clock signal” (RINT or CINT) is presumably “based on a margin added to the required read and write times” as applying external signals (XRAS, XCAS, XWE) to a memory chip in such a manner as to include a timing “margin” is understood to be conventional practice.

Regarding claims 12 and 21, Official Notice is given that establishing an “optimal margin” for applying external signals (XRAS, XCAS, XWE) to memory chips, in such a manner as to accommodate worst case environmental conditions and operating conditions, was conventional practice at the time the invention was made. It would have

Art Unit: 2133

been obvious to a person having ordinary skill in the art at the time the invention was made to apply Heidel's normal "internal clock signal" (RINT or CINT) with an "optimal margin". Such operation would have been obvious because establishing an "optimal margin" for applying external signals (XRAS, XCAS, XWE) to memory chips, in such a manner as to accommodate worst case environmental conditions and operating conditions, was already conventional practice.

Regarding claim 15, Official Notice is given that designing a chip by means of a "generator", such as a CAD system, was conventional practice having well-known advantages at the time the invention was made. It would have been obvious to a person having ordinary skill in the art at the time the invention was made to generate a chip having the combination of features cited above by means of a "generator". Such a process would have been obvious because designing a chip by means of a "generator", such as a CAD system, was already conventional practice having well-known advantages.

Allowable Subject Matter

4. Claims 1-5 and 8 are allowed.

Response to Arguments

5. Applicant's arguments filed 22 December 2004 have been fully considered but they are not persuasive.

Art Unit: 2133

6. Applicant's characterization of the claimed invention presumably applies only to claims 1-5 and 8, which recite a "power-on" (sic - "power up") test.

Regarding the teachings of Heidel, applicant's statement "(t)he teachings of Heidel ... do not provide motivation to test at a stress level that will not be used during normal operation, as it is Heidel's goal to find actual functional operating levels of memory cells using stressed functional conditions" is either vague or self-contradictory. Heidel's "stressed functional conditions" of course provide a "stress level that will not be used during normal operations" as Heidel's stress tests find the maximum operating level by crossing it to failure, as acknowledged by applicant.

Applicant's response is apparently to entirely avoid the motivation to combine clearly specified in the previous Office action and now re-iterated unchanged in this final rejection.

Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of


Art Unit: 2133

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen M. Baker whose telephone number is (571) 272-3814. The examiner can normally be reached on Monday-Friday (11:00 AM - 7:30 PM).

8. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert DeCady can be reached on (571) 272-3819. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Stephen M. Baker
Primary Examiner
Art Unit 2133

smb